

FIGURE 1. DNA Constructs used in this application. The schematic diagrams represent the expression cassettes which are packaged into the recombinant adeno-associated virus (AAV) vectors. Abbreviations: TR, AAV terminal repeats; PrCBA, cytomegalovirus/chicken beta-actin hybrid promoter; IRES, internal ribosome entry sequence which allows for bicistronic expression of two transgenes; gfp, green fluorescent protein; pA, poly adenylation sequence. Human DNA sequences to model neurodegenerative diseases: APP, amyloid precursor protein mutant form linked to Alzheimer's disease; presenilin 1 mutant form linked to Alzheimer's disease; tau wild type and mutant form linked to fronto-temporal dementia with parkinsonism linked to chromosome 17; alpha-synuclein wild type and mutant forms linked to Parkinson's disease.

RECEIVED
AUG 11 2003
TECH CENTER 1600/2930




Figure 2A







Figure 2B

RECEIVED
AUG 11 2003
TECH CENTER 1600/2900



RECEIVED
AUG 11 2003
TECH CENTER 1600/2300



Figure 3C



Figure 3D

Figure 3E




Figure 3F



Figure 3G



Figure 3H



Figure 3I



Figure 3J



Figure 3K

RECEIVED
AUG 11 2003
TECH CENTER 1600/2900




FIGURE 4

RECEIVED
AUG 17 2003
TECH CENTER 1600/2900




FIGURE 5A




FIGURE 5B

RECEIVED
AUG 11 2003
TECH CENTER 1600/2900





FIGURE 6

RECEIVED
AUG 11 2003
TECH CENTER 1600/2900